


Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect

journal homepage: [www.intl.elsevierhealth.com/journals/jden](http://www.intl.elsevierhealth.com/journals/jden)

## Erratum

## Erratum to “Interface of dentine to root canal sealers” [J. Dent. 42 (2014) 336–350]



Raqueli Viapiana<sup>a</sup>, J. Guerreiro-Tanomaru<sup>a</sup>, M. Tanomaru-Filho<sup>a</sup>,  
J. Camilleri<sup>b,\*</sup>

<sup>a</sup> Department of Restorative Dentistry, Araraquara Dental School, São Paulo State University (UNESP), Araraquara, SP, Brazil

<sup>b</sup> Department of Restorative Dentistry, Faculty of Dental Surgery, University of Malta, Malta

The publisher regrets Fig. 2b was omitted from the article in error.

The publisher regrets that Fig. 6 was labelled incorrectly.

The authors regret that the legend for Fig. 5 contains an error. The legend should read:

Fig. 5. Line scans of various elements and their interaction at the interface between root dentine and the root canal sealers in the apical, mid-root and coronal portions of the root canal (2K X mag).


DOI of original article: <http://dx.doi.org/10.1016/j.jdent.2013.11.013>

\* Corresponding author at: Department of Restorative Dentistry, Faculty of Dental Surgery, University of Malta, Medical School, Mater Dei Hospital, Msida MSD 2090, Malta. Tel.: +356 2340 1174.

E-mail address: [josette.camilleri@um.edu.mt](mailto:josette.camilleri@um.edu.mt) (J. Camilleri).

<http://dx.doi.org/10.1016/j.jdent.2014.04.006>

0300-5712/© 2014 Elsevier Ltd. All rights reserved.



**Fig. 2b** – Root dentine to sealer interfacial characteristics of different test sealers after 28 days immersion in Hank's balanced salt solution viewed under confocal microscope tracing the presence of sealer inside the dentinal tubules.




Fig. 6 – Energy dispersive X-ray spectroscopy of the tooth to material interface showing the peak overlap.