

RESSALVA

Atendendo solicitação da autora, o texto completo desta dissertação será disponibilizado somente a partir de 16/05/2021.

**UNIVERSIDADE ESTADUAL PAULISTA “JULIO DE MESQUITA
FILHO”
FACULDADE DE CIÊNCIAS FARMACÊUTICAS,
CAMPUS DE ARARAQUARA**

**Programa de Pós-Graduação em Biociências e Biotecnologia
Aplicadas à Farmácia**

JÚLIA MIRANDA RIBEIRO BAZZANO

**Influência da prostaglandina E₂ na plasticidade de linfócitos
Th17/Th1 no contexto da encefalomielite autoimune
experimental**

Araraquara, SP

2019

REFERÊNCIAS

- ABROMSON-LEEMAN, S.; BRONSON, R. T.; DORF, M. E. Encephalitogenic T cells that stably express both T-bet and ROR gamma t consistently produce IFN γ but have a spectrum of IL-17 profiles. **J Neuroimmunol**, v. 215, n. 1-2, p. 10-24, Oct 30 2009. ISSN 1872-8421 (Electronic) 0165-5728 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19692128> >.
- AGALIOTI, T. et al. TH17 cell plasticity: The role of dendritic cells and molecular mechanisms. **J Autoimmun**, v. 87, p. 50-60, Feb 2018. ISSN 1095-9157 (Electronic) 0896-8411 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/29371049> >.
- BELLEMORE, S. M. et al. Preventative role of interleukin-17 producing regulatory T helper type 17 (Treg 17) cells in type 1 diabetes in non-obese diabetic mice. **Clin Exp Immunol**, v. 182, n. 3, p. 261-9, Dec 2015. ISSN 1365-2249 (Electronic) 0009-9104 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/26250153> >.
- BOLTON, C.; TURNER, A. M.; TURK, J. L. Prostaglandin levels in cerebrospinal fluid from multiple sclerosis patients in remission and relapse. **J Neuroimmunol**, v. 6, n. 3, p. 151-9, Jun 1984. ISSN 0165-5728 (Print) 0165-5728 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/6586729> >.
- BONIFACE, K. et al. Prostaglandin E2 regulates Th17 cell differentiation and function through cyclic AMP and EP2/EP4 receptor signaling. **J Exp Med**, v. 206, n. 3, p. 535-48, Mar 16 2009. ISSN 1540-9538 (Electronic) 0022-1007 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19273625> >.
- BONIFACE, K. et al. Human Th17 cells comprise heterogeneous subsets including IFN- γ -producing cells with distinct properties from the Th1 lineage. **J Immunol**, v. 185, n. 1, p. 679-87, Jul 1 2010. ISSN 1550-6606 (Electronic) 0022-1767 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/20511558> >.
- BYSTROM, J. et al. Functional and phenotypic heterogeneity of Th17 cells in health and disease. **Eur J Clin Invest**, p. e13032, Oct 5 2018. ISSN 1365-2362 (Electronic) 0014-2972 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/30289986> >.
- CHEN, Q. et al. A novel antagonist of the prostaglandin E(2) EP(4) receptor inhibits Th1 differentiation and Th17 expansion and is orally active in arthritis models. **Br J Pharmacol**, v. 160, n. 2, p. 292-310, May 2010. ISSN 1476-5381 (Electronic) 0007-1188 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/20423341> >.
- CIOFANI, M. et al. A validated regulatory network for Th17 cell specification. **Cell**, v. 151, n. 2, p. 289-303, Oct 12 2012. ISSN 1097-4172 (Electronic) 0092-8674 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/23021777> >.
- COOMES, S. M. et al. IFN γ and IL-12 Restrict Th2 Responses during Helminth/Plasmodium Co-Infection and Promote IFN γ from Th2 Cells. **PLoS Pathog**, v. 11, n. 7, p. e1004994, Jul 2015. ISSN 1553-7374 (Electronic) 1553-7366 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/26147567> >.
- DEASON, K. et al. BCAP links IL-1R to the PI3K-mTOR pathway and regulates pathogenic Th17 cell differentiation. **J Exp Med**, v. 215, n. 9, p. 2413-2428, Sep 3 2018. ISSN 1540-9538 (Electronic) 0022-1007 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/30093533> >.

DEJANI, N. N. **Prostaglandina E2 via EP4/IL-1R inibe a diferenciação de células Th17 durante a eferocitose de células infectadas.** 2016. Tese (Doutorado), Universidade de São Paulo, Faculdade de Medicina de Ribeirão Preto.

DEJANI, N. N. et al. Intestinal host defense outcome is dictated by PGE2 production during efferocytosis of infected cells. **Proc Natl Acad Sci U S A**, v. 115, n. 36, p. E8469-E8478, Sep 4 2018. ISSN 1091-6490 (Electronic) 0027-8424 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/30127026> >.

DOMINGUES, H. S. et al. Functional and pathogenic differences of Th1 and Th17 cells in experimental autoimmune encephalomyelitis. **PLoS One**, v. 5, n. 11, p. e15531, Nov 29 2010. ISSN 1932-6203 (Electronic) 1932-6203 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/21209700> >.

EL-BEHI, M.; ROSTAMI, A.; CIRIC, B. Current views on the roles of Th1 and Th17 cells in experimental autoimmune encephalomyelitis. **J Neuroimmune Pharmacol**, v. 5, n. 2, p. 189-97, Jun 2010. ISSN 1557-1904 (Electronic) 1557-1890 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/20107924> >.

ESAKI, Y. et al. Dual roles of PGE2-EP4 signaling in mouse experimental autoimmune encephalomyelitis. **Proc Natl Acad Sci U S A**, v. 107, n. 27, p. 12233-8, Jul 06 2010. ISSN 1091-6490 (Electronic) 0027-8424 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/20566843> >.

FARIAS, A. S. et al. Nitric oxide and TNFalpha effects in experimental autoimmune encephalomyelitis demyelination. **Neuroimmunomodulation**, v. 14, n. 1, p. 32-8, 2007. ISSN 1021-7401 (Print) 1021-7401 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/17700038> >.

GEORGE, R. J. et al. EP4 mediates PGE2 dependent cell survival through the PI3 kinase/AKT pathway. **Prostaglandins Other Lipid Mediat**, v. 83, n. 1-2, p. 112-20, Feb 2007. ISSN 1098-8823 (Print) 1098-8823 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/17259077> >.

GERLO, S. et al. Cyclic AMP: a selective modulator of NF-kappaB action. **Cell Mol Life Sci**, v. 68, n. 23, p. 3823-41, Dec 2011. ISSN 1420-9071 (Electronic) 1420-682X (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/21744067> >.

HIRATA, T.; NARUMIYA, S. Prostanoids as regulators of innate and adaptive immunity. **Adv Immunol**, v. 116, p. 143-74, 2012. ISSN 1557-8445 (Electronic) 0065-2776 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/23063076> >.

ITANI, F. R. et al. Suppression of autoimmune demyelinating disease by preferential stimulation of CNS-specific CD8 T cells using Listeria-encoded neuroantigen. **Sci Rep**, v. 7, n. 1, p. 1519, May 08 2017. ISSN 2045-2322 (Electronic) 2045-2322 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/28484224> >.

KALYVAS, A.; DAVID, S. Cytosolic phospholipase A2 plays a key role in the pathogenesis of multiple sclerosis-like disease. **Neuron**, v. 41, n. 3, p. 323-35, Feb 05 2004. ISSN 0896-6273 (Print) 0896-6273 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/14766173> >.

KEBIR, H. et al. Preferential recruitment of interferon-gamma-expressing TH17 cells in multiple sclerosis. **Ann Neurol**, v. 66, n. 3, p. 390-402, Sep 2009. ISSN 1531-8249 (Electronic) 0364-5134 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19810097> >.

KIHARA, Y. et al. Targeted lipidomics reveals mPGES-1-PGE2 as a therapeutic target for multiple sclerosis. **Proc Natl Acad Sci U S A**, v. 106, n. 51, p. 21807-12, Dec 22 2009. ISSN 1091-6490 (Electronic)

0027-8424 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19995978> >.

KROENKE, M. A. et al. IL-12- and IL-23-modulated T cells induce distinct types of EAE based on histology, CNS chemokine profile, and response to cytokine inhibition. **J Exp Med**, v. 205, n. 7, p. 1535-41, Jul 07 2008. ISSN 1540-9538 (Electronic)

0022-1007 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/18573909> >.

LANGRISH, C. L. et al. IL-23 drives a pathogenic T cell population that induces autoimmune inflammation. **J Exp Med**, v. 201, n. 2, p. 233-40, Jan 17 2005. ISSN 0022-1007 (Print)

0022-1007 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/15657292> >.

LEE, J. et al. T cell-intrinsic prostaglandin E2-EP2/EP4 signaling is critical in pathogenic TH17 cell-driven inflammation. **J Allergy Clin Immunol**, v. 143, n. 2, p. 631-643, Feb 2019. ISSN 1097-6825 (Electronic)

0091-6749 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/29935220> >.

LEE, P. W. et al. IL-23R-activated STAT3/STAT4 is essential for Th1/Th17-mediated CNS autoimmunity. **JCI Insight**, v. 2, n. 17, Sep 7 2017. ISSN 2379-3708 (Electronic)

2379-3708 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/28878115> >.

LEE, Y. K. et al. Late developmental plasticity in the T helper 17 lineage. **Immunity**, v. 30, n. 1, p. 92-107, Jan 16 2009. ISSN 1097-4180 (Electronic)

1074-7613 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19119024> >.

LEXBERG, M. H. et al. IFN-gamma and IL-12 synergize to convert in vivo generated Th17 into Th1/Th17 cells. **Eur J Immunol**, v. 40, n. 11, p. 3017-27, Nov 2010. ISSN 1521-4141 (Electronic)

0014-2980 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/21061434> >.

LEXBERG, M. H. et al. Th memory for interleukin-17 expression is stable in vivo. **Eur J Immunol**, v. 38, n. 10, p. 2654-64, Oct 2008. ISSN 0014-2980 (Print)

0014-2980 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/18825747> >.

LOCASALE, J. W.; CANTLEY, L. C. Metabolic flux and the regulation of mammalian cell growth. **Cell Metab**, v. 14, n. 4, p. 443-51, Oct 05 2011. ISSN 1932-7420 (Electronic)

1550-4131 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/21982705> >.

MCCARTHY, D. P.; RICHARDS, M. H.; MILLER, S. D. Mouse models of multiple sclerosis: experimental autoimmune encephalomyelitis and Theiler's virus-induced demyelinating disease. **Methods Mol Biol**, v. 900, p. 381-401, 2012. ISSN 1940-6029 (Electronic)

1064-3745 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/22933080> >.

MCCOY, J. M.; WICKS, J. R.; AUDOLY, L. P. The role of prostaglandin E2 receptors in the pathogenesis of rheumatoid arthritis. **J Clin Invest**, v. 110, n. 5, p. 651-8, Sep 2002. ISSN 0021-9738 (Print)

0021-9738 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/12208866> >.

MILLER, S. D.; KARPUS, W. J. Experimental autoimmune encephalomyelitis in the mouse. **Curr Protoc Immunol**, v. Chapter 15, p. Unit 15 1, May 2007. ISSN 1934-368X (Electronic)

1934-3671 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/18432984> >.

- MIYAMOTO, K. et al. Selective COX-2 inhibitor celecoxib prevents experimental autoimmune encephalomyelitis through COX-2-independent pathway. **Brain**, v. 129, n. Pt 8, p. 1984-92, Aug 2006. ISSN 1460-2156 (Electronic) 0006-8950 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/16835249> >.
- MURANSKI, P.; RESTIFO, N. P. Essentials of Th17 cell commitment and plasticity. **Blood**, v. 121, n. 13, p. 2402-14, Mar 28 2013. ISSN 1528-0020 (Electronic) 0006-4971 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/23325835> >.
- O'SHEA, J. J.; PAUL, W. E. Mechanisms underlying lineage commitment and plasticity of helper CD4+ T cells. **Science**, v. 327, n. 5969, p. 1098-102, Feb 26 2010. ISSN 1095-9203 (Electronic) 0036-8075 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/20185720> >.
- PANZER, M. et al. Rapid in vivo conversion of effector T cells into Th2 cells during helminth infection. **J Immunol**, v. 188, n. 2, p. 615-23, Jan 15 2012. ISSN 1550-6606 (Electronic) 0022-1767 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/22156341> >.
- REBOLDI, A. et al. C-C chemokine receptor 6-regulated entry of TH-17 cells into the CNS through the choroid plexus is required for the initiation of EAE. **Nat Immunol**, v. 10, n. 5, p. 514-23, May 2009. ISSN 1529-2916 (Electronic) 1529-2908 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19305396> >.
- SCHIRMER, C. et al. Human fibroblasts support the expansion of IL-17-producing T cells via up-regulation of IL-23 production by dendritic cells. **Blood**, v. 116, n. 10, p. 1715-25, Sep 09 2010. ISSN 1528-0020 (Electronic) 0006-4971 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/20538798> >.
- SCHMIDT, M.; DEKKER, F. J.; MAARSINGH, H. Exchange protein directly activated by cAMP (epac): a multidomain cAMP mediator in the regulation of diverse biological functions. **Pharmacol Rev**, v. 65, n. 2, p. 670-709, Apr 2013. ISSN 1521-0081 (Electronic) 0031-6997 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/23447132> >.
- SCHUSTER, V. L. Molecular mechanisms of prostaglandin transport. **Annu Rev Physiol**, v. 60, p. 221-42, 1998. ISSN 0066-4278 (Print) 0066-4278 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/9558462> >.
- SMITH, W. L.; DEWITT, D. L.; GARAVITO, R. M. Cyclooxygenases: structural, cellular, and molecular biology. **Annu Rev Biochem**, v. 69, p. 145-82, 2000. ISSN 0066-4154 (Print) 0066-4154 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/10966456> >.
- SREERAMKUMAR, V.; FRESNO, M.; CUESTA, N. Prostaglandin E2 and T cells: friends or foes? **Immunol Cell Biol**, v. 90, n. 6, p. 579-86, Jul 2012. ISSN 1440-1711 (Electronic) 0818-9641 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/21946663> >.
- ST-JACQUES, B.; MA, W. Prostaglandin E2/EP4 signalling facilitates EP4 receptor externalization in primary sensory neurons in vitro and in vivo. **Pain**, v. 154, n. 2, p. 313-23, Feb 2013. ISSN 1872-6623 (Electronic) 0304-3959 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/23265688> >.
- ST-JACQUES, B.; MA, W. Preferred recycling pathway by internalized PGE2 EP4 receptor following agonist stimulation in cultured dorsal root ganglion neurons contributes to enhanced EP4 receptor sensitivity. **Neuroscience**, v. 326, p. 56-68, Jun 21 2016. ISSN 1873-7544 (Electronic) 0306-4522 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/27060485> >.

STADHOUDERS, R.; LUBBERTS, E.; HENDRIKS, R. W. A cellular and molecular view of T helper 17 cell plasticity in autoimmunity. **J Autoimmun**, v. 87, p. 1-15, Feb 2018. ISSN 1095-9157 (Electronic)

0896-8411 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/29275836> >.

STOCKINGER, B.; OMENETTI, S. The dichotomous nature of T helper 17 cells. **Nat Rev Immunol**, v. 17, n. 9, p. 535-544, Sep 2017. ISSN 1474-1741 (Electronic)

1474-1733 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/28555673> >.

SUGIMOTO, Y.; NARUMIYA, S. Prostaglandin E receptors. **J Biol Chem**, v. 282, n. 16, p. 11613-7, Apr 20 2007. ISSN 0021-9258 (Print)

0021-9258 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/17329241> >.

TARTAR, D. M. et al. FoxP3+RORgammat+ T helper intermediates display suppressive function against autoimmune diabetes. **J Immunol**, v. 184, n. 7, p. 3377-85, Apr 1 2010. ISSN 1550-6606 (Electronic)

0022-1767 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/20181889> >.

WEAVER, C. T. et al. IL-17 family cytokines and the expanding diversity of effector T cell lineages. **Annu Rev Immunol**, v. 25, p. 821-52, 2007. ISSN 0732-0582 (Print)

0732-0582 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/17201677> >.

WEI, G. et al. Global mapping of H3K4me3 and H3K27me3 reveals specificity and plasticity in lineage fate determination of differentiating CD4+ T cells. **Immunity**, v. 30, n. 1, p. 155-67, Jan 16 2009. ISSN 1097-4180 (Electronic)

1074-7613 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19144320> >.

WONG, M. T. et al. A High-Dimensional Atlas of Human T Cell Diversity Reveals Tissue-Specific Trafficking and Cytokine Signatures. **Immunity**, v. 45, n. 2, p. 442-56, Aug 16 2016. ISSN 1097-4180 (Electronic)

1074-7613 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/27521270> >.

XU, S. et al. Prostaglandin E2 receptor EP4 is involved in the cell growth and invasion of prostate cancer via the cAMPPKA/PI3KAkt signaling pathway. **Mol Med Rep**, v. 17, n. 3, p. 4702-4712, Mar 2018. ISSN 1791-3004 (Electronic)

1791-2997 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/29328471> >.

YAMAZAKI, T. et al. CCR6 regulates the migration of inflammatory and regulatory T cells. **J Immunol**, v. 181, n. 12, p. 8391-401, Dec 15 2008. ISSN 1550-6606 (Electronic)

0022-1767 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19050256> >.

YAO, C. et al. Prostaglandin E(2) promotes Th1 differentiation via synergistic amplification of IL-12 signalling by cAMP and PI3-kinase. **Nat Commun**, v. 4, p. 1685, 2013. ISSN 2041-1723 (Electronic)

2041-1723 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/23575689> >.

YAO, C. et al. Prostaglandin E2-EP4 signaling promotes immune inflammation through Th1 cell differentiation and Th17 cell expansion. **Nat Med**, v. 15, n. 6, p. 633-40, Jun 2009. ISSN 1546-170X (Electronic)

1078-8956 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19465928> >.

ZHOU, L.; CHONG, M. M.; LITTMAN, D. R. Plasticity of CD4+ T cell lineage differentiation. **Immunity**, v. 30, n. 5, p. 646-55, May 2009. ISSN 1097-4180 (Electronic)

1074-7613 (Linking). Disponível em: < <http://www.ncbi.nlm.nih.gov/pubmed/19464987> >.