




Hypothèse de sol (cf rapport de sol N°2024-42-FB-5286 Indice 0 en date du 18/01/2024)

Classe d'exposition des bétons (intérieur des terres et gel faible ou modéré): sauf indication contraire sur le plan de coffrage

- béton autoplaçant pour voile grande hauteur
- C25/30 pour XF1, XC1 et XC2
- C30/37 pour XF3 ou XF4, XA1

Diagramme technique d'un mur de soutènement à trois voiles. Les fondations sont notées XA1. Les acrotères sont notés XF1. Les voiles sont notées XF1 (voile extérieure non protégée de l'humidité), XF1 (voile extérieure protégée de l'humidité), et XF1 (voile intérieure). Les planchers sont notés XC1. Les rampes extérieures sont notées XF3 / XF4. Les voiles intérieures sont notées XC2 / XF1.


MAITRE D'OUVRAGE :		LE TOIT FOREZIEEN
MAITRE D'OEUUVRE :		
A	16/07/24	Mise à jour systeme de fondations
0	11/07/24	Première diffusion PRO.
INDICE	DATE	MODIFICATIONS

Projet de construction
d'un immeuble de 20 logements
- LOT C3
Rue des hauts de terroire
42000 Saint Etienne

FONDATIONS		APS
		PRO
		ETUDE
		EXE
		DOE

E-Mail: ingenierie-construction@wanadoo.fr

INDICE:						
0	A					



Technical drawing of a foundation cross-section showing two levels of concrete and soil. The top level is labeled "Gros béton au bon sol" with a height of 55 and a sub-base "Subassement" of 40. The bottom level is labeled "Gros béton au bon sol" with a height of 40 and a sub-base "Subassement" of 1.25. The foundation is labeled "Fondation". A slope is indicated with a triangle labeled "REDANS 3/2".