

Species	Season	ID_Animal	Treatment	Standard_Mass	Air_Temp	Target_Mass	Body_Temp	Final_Mass	Test_Group	Performance	Date
Leptodactylus_fu	hot_wet	LF.23.01	100	9.3	ctmin	9.3	10	10.2	1	0	30/10/202
Leptodactylus_fu	hot_wet	LF.23.01	100	10.3	10	10.3	15.6	9.83	1	24.5	21/10/202
Leptodactylus_fu	hot_wet	LF.23.01	100	10.3	15	10.3	17.2	9.38	1	74.5	21/10/202
Leptodactylus_fu	hot_wet	LF.23.01	100	9.51	20	9.51	23.7	9.26	1	93.5	26/10/202
Leptodactylus_fu	hot_wet	LF.23.01	100	9.51	25	9.51	28	9.13	1	46.6	26/10/202
Leptodactylus_fu	hot_wet	LF.23.01	100	9.85	30	9.85	29.3	9.6	1	93.8	24/10/202
Leptodactylus_fu	hot_wet	LF.23.01	100	9.85	35	9.85	32.5	9.37	1	85.9	24/10/202
Leptodactylus_fu	hot_wet	LF.23.01	100	8.91	ctmax	8.91	40.2	9.14	1	0	01/11/202
Leptodactylus_fu	hot_wet	LF.23.02	80	7.41	ctmin	5.92	NA	NA	1	0	30/10/202
Leptodactylus_fu	hot_wet	LF.23.02	80	8.43	10	6.74	15	6.97	1	39	21/10/202
Leptodactylus_fu	hot_wet	LF.23.02	80	8.43	15	6.74	15.8	6.78	1	42	21/10/202
Leptodactylus_fu	hot_wet	LF.23.02	80	7.67	20	5.65	21.6	5.67	1	51.2	26/10/202
Leptodactylus_fu	hot_wet	LF.23.02	80	7.67	25	5.65	25.3	5.81	1	15	26/10/202
Leptodactylus_fu	hot_wet	LF.23.02	80	7.83	30	6.26	28	6.12	1	37.7	24/10/202
Leptodactylus_fu	hot_wet	LF.23.02	80	7.83	35	6.26	29.1	5.88	1	113.5	24/10/202
Leptodactylus_fu	hot_wet	LF.23.02	80	6.97	ctmax	5.57	35	5.53	1	0	01/11/202
Leptodactylus_fu	hot_wet	LF.23.03	80	9.82	ctmin	7.85	12	7.49	1	0	30/10/202
Leptodactylus_fu	hot_wet	LF.23.03	80	11.18	10	8.94	15	9.94	1	44.5	21/10/202
Leptodactylus_fu	hot_wet	LF.23.03	80	11.18	15	8.94	15.8	9.83	1	26.5	21/10/202
Leptodactylus_fu	hot_wet	LF.23.03	80	10.19	20	8.15	22.6	7.74	1	95	26/10/202
Leptodactylus_fu	hot_wet	LF.23.03	80	10.19	25	8.15	25.4	8.05	1	81.2	26/10/202
Leptodactylus_fu	hot_wet	LF.23.03	80	10.04	30	8.03	28.6	8.13	1	82.5	24/10/202
Leptodactylus_fu	hot_wet	LF.23.03	80	10.04	35	8.03	31	7.8	1	99.2	24/10/202
Leptodactylus_fu	hot_wet	LF.23.03	80	9.28	ctmax	7.42	38.8	7.41	1	0	01/11/202
Leptodactylus_fu	hot_wet	LF.23.04	80	9.37	ctmin	7.49	10	7.29	1	0	30/10/202
Leptodactylus_fu	hot_wet	LF.23.04	80	10.18	10	8.14	14.8	8.46	1	45.5	21/10/202
Leptodactylus_fu	hot_wet	LF.23.04	80	10.18	15	8.14	16.8	NA	1	22.5	21/10/202
Leptodactylus_fu	hot_wet	LF.23.04	80	9.63	20	7.7	22.8	7.28	1	14.5	26/10/202
Leptodactylus_fu	hot_wet	LF.23.04	80	9.63	25	7.7	26.3	7.51	1	18	26/10/202
Leptodactylus_fu	hot_wet	LF.23.04	80	9.72	30	7.77	28	7.89	1	68.9	24/10/202
Leptodactylus_fu	hot_wet	LF.23.04	80	9.72	35	7.77	31.6	7.7	1	50.5	24/10/202
Leptodactylus_fu	hot_wet	LF.23.04	80	9.22	ctmax	7.37	39.1	6.96	1	0	01/11/202
Leptodactylus_fu	hot_wet	LF.23.05	100	6.55	ctmin	6.55	7	7.02	1	0	30/10/202
Leptodactylus_fu	hot_wet	LF.23.05	100	7.64	10	7.64	16.6	7.21	1	23	21/10/202
Leptodactylus_fu	hot_wet	LF.23.05	100	7.64	15	7.64	16.6	6.85	1	30	21/10/202
Leptodactylus_fu	hot_wet	LF.23.05	100	6.75	20	6.75	25.4	6.48	1	72.5	26/10/202
Leptodactylus_fu	hot_wet	LF.23.05	100	6.75	25	6.75	27.6	6.61	2	77.7	26/10/202
Leptodactylus_fu	hot_wet	LF.23.05	100	6.78	30	6.78	29.7	6.52	1	73.4	24/10/202
Leptodactylus_fu	hot_wet	LF.23.05	100	6.78	35	6.78	29.9	6.53	1	94.4	24/10/202

Leptodactylus_fu hot_wet	LF.23.05	100	6.37	ctmax	6.37	39.4	6.73	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.06	80	9.38	ctmin	7.5	10.3	7.55	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.06	80	10.82	10	8.65	14.1	8.7	1	32	21/10/202
Leptodactylus_fu hot_wet	LF.23.06	80	10.82	15	8.65	15.8	8.51	1	24	21/10/202
Leptodactylus_fu hot_wet	LF.23.06	80	9.66	20	7.72	23.6	7.34	1	53.3	26/10/202
Leptodactylus_fu hot_wet	LF.23.06	80	9.66	25	7.72	25.4	7.42	1	26.8	26/10/202
Leptodactylus_fu hot_wet	LF.23.06	80	9.89	30	7.91	25.9	7.35	1	12.9	24/10/202
Leptodactylus_fu hot_wet	LF.23.06	80	9.89	35	7.91	31.6	7.14	1	15.1	24/10/202
Leptodactylus_fu hot_wet	LF.23.06	80	9.1	ctmax	7.28	38.6	7.1	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.07	100	13.57	ctmin	13.57	8.7	13.85	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.07	100	14.91	10	14.91	15.2	14	1	48	21/10/202
Leptodactylus_fu hot_wet	LF.23.07	100	14.91	15	14.91	17	13.7	1	67	21/10/202
Leptodactylus_fu hot_wet	LF.23.07	100	13.66	20	13.66	24.2	13.57	1	125.2	26/10/202
Leptodactylus_fu hot_wet	LF.23.07	100	13.66	25	13.66	26.7	13.41	1	108.4	26/10/202
Leptodactylus_fu hot_wet	LF.23.07	100	13.63	30	13.63	29.2	13.56	1	75	24/10/202
Leptodactylus_fu hot_wet	LF.23.07	100	13.63	35	13.63	31.2	15.08	1	96.8	24/10/202
Leptodactylus_fu hot_wet	LF.23.07	100	12.97	ctmax	12.97	40.4	14.25	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.08	90	9.45	ctmin	8.5	9.1	7.77	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.08	90	10.34	10	9.31	14.4	9.15	1	31.5	21/10/202
Leptodactylus_fu hot_wet	LF.23.08	90	10.34	15	9.31	15.8	9.03	1	23	21/10/202
Leptodactylus_fu hot_wet	LF.23.08	90	9.16	20	8.24	22.7	7.88	1	88.8	26/10/202
Leptodactylus_fu hot_wet	LF.23.08	90	9.16	25	8.24	26	8.08	1	12.1	26/10/202
Leptodactylus_fu hot_wet	LF.23.08	90	9.32	30	8.38	29	8.16	1	14.3	24/10/202
Leptodactylus_fu hot_wet	LF.23.08	90	9.32	35	8.38	31.2	7.58	1	150.5	24/10/202
Leptodactylus_fu hot_wet	LF.23.08	90	9.18	ctmax	8.26	39	7.47	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.09	90	8.55	ctmin	7.69	9.1	7.2	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.09	90	8.87	10	7.98	14	8.63	1	14	21/10/202
Leptodactylus_fu hot_wet	LF.23.09	90	8.87	15	7.98	16.8	8.4	1	NA	21/10/202
Leptodactylus_fu hot_wet	LF.23.09	90	8.8	20	7.92	23.4	7.54	1	22	26/10/202
Leptodactylus_fu hot_wet	LF.23.09	90	8.8	25	7.92	26	7.83	1	20.2	26/10/202
Leptodactylus_fu hot_wet	LF.23.09	90	8.77	30	7.89	29.6	7.72	1	93	24/10/202
Leptodactylus_fu hot_wet	LF.23.09	90	8.77	35	7.89	31.1	7.3	1	32.6	24/10/202
Leptodactylus_fu hot_wet	LF.23.09	90	8.31	ctmax	7.47	40.4	6.89	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.10	100	8.5	ctmin	8.5	7.6	9.16	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.10	100	9.63	10	9.63	14.8	8.93	1	34	21/10/202
Leptodactylus_fu hot_wet	LF.23.10	100	9.63	15	9.63	16	8.63	1	39	21/10/202
Leptodactylus_fu hot_wet	LF.23.10	100	8.86	20	8.86	24.8	8.31	1	105.5	26/10/202
Leptodactylus_fu hot_wet	LF.23.10	100	8.86	25	8.86	27	8.31	1	52.5	26/10/202
Leptodactylus_fu hot_wet	LF.23.10	100	8.51	30	8.51	29.6	8.51	1	55.9	24/10/202
Leptodactylus_fu hot_wet	LF.23.10	100	8.51	35	8.51	32.1	8.32	1	98.5	24/10/202

Leptodactylus_fu hot_wet	LF.23.10	100	8.23	ctmax	8.23	39.7	8.49	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.11	80	11.41	ctmin	9.12	11	8.65	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.11	80	10	10	8	12.8	7.97	2	16	22/10/202
Leptodactylus_fu hot_wet	LF.23.11	80	10	15	8	16.8	8.26	2	67	22/10/202
Leptodactylus_fu hot_wet	LF.23.11	80	11.43	20	9.14	24.6	8.83	1	66.3	26/10/202
Leptodactylus_fu hot_wet	LF.23.11	80	11.43	25	9.14	27	9.06	1	22.5	26/10/202
Leptodactylus_fu hot_wet	LF.23.11	80	9.13	30	7.3	28.8	7.05	1	84.9	24/10/202
Leptodactylus_fu hot_wet	LF.23.11	80	9.13	35	7.3	30.7	6.73	1	99	24/10/202
Leptodactylus_fu hot_wet	LF.23.11	80	10.76	ctmax	8.6	39.3	7.8	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.12	90	8.55	ctmin	7.69	9.4	7.38	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.12	90	12.07	10	10.86	15.2	10.75	1	32	21/10/202
Leptodactylus_fu hot_wet	LF.23.12	90	12.07	15	10.86	16.8	10.55	1	36	21/10/202
Leptodactylus_fu hot_wet	LF.23.12	90	8.94	20	8.04	23	7.43	1	72.1	26/10/202
Leptodactylus_fu hot_wet	LF.23.12	90	8.94	25	8.04	28	7.57	1	115	26/10/202
Leptodactylus_fu hot_wet	LF.23.12	90	11.3	30	10.17	29.4	10.13	1	43.6	24/10/202
Leptodactylus_fu hot_wet	LF.23.12	90	11.3	35	10.17	32.1	9.76	1	113.6	24/10/202
Leptodactylus_fu hot_wet	LF.23.12	90	8.28	ctmax	7.45	40.2	7.44	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.13	100	8.63	ctmin	8.63	10.3	8.55	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.13	100	8.95	10	8.95	12.2	8.16	2	14.5	22/10/202
Leptodactylus_fu hot_wet	LF.23.13	100	8.95	15	8.95	18	8.55	2	NA	22/10/202
Leptodactylus_fu hot_wet	LF.23.13	100	8.75	20	8.75	23.9	8.47	1	117.9	26/10/202
Leptodactylus_fu hot_wet	LF.23.13	100	8.75	25	8.75	28.4	8.32	1	53.4	26/10/202
Leptodactylus_fu hot_wet	LF.23.13	100	8.82	30	8.82	29.1	8.56	1	61.6	24/10/202
Leptodactylus_fu hot_wet	LF.23.13	100	8.82	35	8.82	32	8.37	1	58.9	24/10/202
Leptodactylus_fu hot_wet	LF.23.13	100	8.21	ctmax	8.21	40.7	9.36	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.14	90	10.76	ctmin	9.68	9.7	9.35	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.14	90	11.88	10	10.69	13.8	10.48	1	26	21/10/202
Leptodactylus_fu hot_wet	LF.23.14	90	11.88	15	10.69	16.4	10.3	1	34	21/10/202
Leptodactylus_fu hot_wet	LF.23.14	90	10.88	20	9.79	23.7	9.53	1	85	26/10/202
Leptodactylus_fu hot_wet	LF.23.14	90	10.88	25	9.79	25.6	9.72	1	70.6	26/10/202
Leptodactylus_fu hot_wet	LF.23.14	90	11.2	30	10.08	29	10.06	1	40	24/10/202
Leptodactylus_fu hot_wet	LF.23.14	90	11.2	35	10.08	31	9.61	1	14.3	24/10/202
Leptodactylus_fu hot_wet	LF.23.14	90	10.37	ctmax	9.33	39.7	9.16	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.15	90	9.26	ctmin	8.33	9.6	7.82	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.15	90	9.86	10	7.88	13	7.61	2	24	22/10/202
Leptodactylus_fu hot_wet	LF.23.15	90	9.86	15	7.88	18.9	7.9	2	65	22/10/202
Leptodactylus_fu hot_wet	LF.23.15	90	9.48	20	8.44	23	8	1	18.4	26/10/202
Leptodactylus_fu hot_wet	LF.23.15	90	9.48	25	8.44	25.4	8.26	1	35.4	26/10/202
Leptodactylus_fu hot_wet	LF.23.15	90	9.46	30	8.51	29.4	8.22	1	91.3	24/10/202
Leptodactylus_fu hot_wet	LF.23.15	90	9.46	35	8.51	31.4	7.83	1	86.7	24/10/202

Leptodactylus_fu hot_wet	LF.23.15	90	8.57	ctmax	7.87	40.7	9.1	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.16	90	8.39	ctmin	7.55	8.4	6.54	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.16	90	9.63	10	8.66	14.4	8.18	2	77.5	22/10/202
Leptodactylus_fu hot_wet	LF.23.16	90	9.63	15	8.66	16.8	8.56	2	40	22/10/202
Leptodactylus_fu hot_wet	LF.23.16	90	8.56	20	7.7	24	7.17	1	82.1	26/10/202
Leptodactylus_fu hot_wet	LF.23.16	90	8.56	25	7.7	26	7.47	1	101.5	26/10/202
Leptodactylus_fu hot_wet	LF.23.16	90	8.85	30	7.96	29.6	6.97	2	113.4	25/10/202
Leptodactylus_fu hot_wet	LF.23.16	90	8.85	35	7.96	32.4	7.17	2	126	25/10/202
Leptodactylus_fu hot_wet	LF.23.16	90	7.95	ctmax	7.15	38.4	7.3	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.17	80	8.07	ctmin	6.45	9.7	6.36	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.17	80	8.99	10	7.19	13.1	6.91	2	23.5	22/10/202
Leptodactylus_fu hot_wet	LF.23.17	80	8.99	15	7.19	18	7.15	2	47	22/10/202
Leptodactylus_fu hot_wet	LF.23.17	80	8.86	20	7.09	22.5	6.79	2	18.5	27/10/202
Leptodactylus_fu hot_wet	LF.23.17	80	8.86	25	7.09	24.7	6.66	2	131.3	27/10/202
Leptodactylus_fu hot_wet	LF.23.17	80	8.44	30	6.75	29	6.56	1	25.2	24/10/202
Leptodactylus_fu hot_wet	LF.23.17	80	8.44	35	6.75	30.2	6.72	1	98	24/10/202
Leptodactylus_fu hot_wet	LF.23.17	80	7.67	ctmax	6.13	39.3	5.87	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.18	90	9.76	ctmin	8.78	8.1	8.41	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.18	90	10.91	10	9.81	12.8	9.29	2	15.5	22/10/202
Leptodactylus_fu hot_wet	LF.23.18	90	10.91	15	9.81	18.4	9.68	2	15	22/10/202
Leptodactylus_fu hot_wet	LF.23.18	90	10.42	20	9.38	26.1	9.2	2	20	27/10/202
Leptodactylus_fu hot_wet	LF.23.18	90	10.42	25	9.38	24.6	9.04	2	18.2	27/10/202
Leptodactylus_fu hot_wet	LF.23.18	90	10.13	30	9.11	28.6	8.54	2	17	25/10/202
Leptodactylus_fu hot_wet	LF.23.18	90	10.13	35	9.11	31	8.83	2	12.6	25/10/202
Leptodactylus_fu hot_wet	LF.23.18	90	9.14	ctmax	8.22	39	7.77	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.19	80	8.65	ctmin	6.92	9.9	6.75	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.19	80	9.86	10	7.88	13.2	7.64	2	NA	22/10/202
Leptodactylus_fu hot_wet	LF.23.19	80	9.86	15	7.88	17.6	7.91	2	23	22/10/202
Leptodactylus_fu hot_wet	LF.23.19	80	8.94	20	7.15	NA	NA	2	NA	27/10/202
Leptodactylus_fu hot_wet	LF.23.19	80	8.94	25	7.62	24.6	6.57	2	44.4	27/10/202
Leptodactylus_fu hot_wet	LF.23.19	80	9.82	30	7.45	29.1	7.17	2	112.6	25/10/202
Leptodactylus_fu hot_wet	LF.23.19	80	9.82	35	7.45	30	7.47	2	93.6	25/10/202
Leptodactylus_fu hot_wet	LF.23.19	80	8.28	ctmax	6.62	NA	NA	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.20	90	11.09	ctmin	9.98	8.2	9.45	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.20	90	12.69	10	11.42	11.8	11.17	2	40	22/10/202
Leptodactylus_fu hot_wet	LF.23.20	90	12.69	15	11.42	19	11.53	2	72	22/10/202
Leptodactylus_fu hot_wet	LF.23.20	90	11.62	20	10.46	25	10.38	2	94	27/10/202
Leptodactylus_fu hot_wet	LF.23.20	90	11.62	25	10.46	24.9	10.14	2	NA	27/10/202
Leptodactylus_fu hot_wet	LF.23.20	90	11.93	30	10.73	29	9.94	2	49.8	25/10/202
Leptodactylus_fu hot_wet	LF.23.20	90	11.93	35	10.73	31.2	10.19	2	50.8	25/10/202

Leptodactylus_fu hot_wet	LF.23.20	90	NA	ctmax	NA	NA	NA	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.21	90	10.72	ctmin	9.64	8.8	9.23	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.21	90	11.38	10	10.24	14.5	10.12	3	NA	23/10/202
Leptodactylus_fu hot_wet	LF.23.21	90	11.38	15	10.24	19.6	10.28	3	81	23/10/202
Leptodactylus_fu hot_wet	LF.23.21	90	10.91	20	9.82	24.8	9.6	2	39.5	27/10/202
Leptodactylus_fu hot_wet	LF.23.21	90	10.91	25	9.82	25	9.5	2	110.5	27/10/202
Leptodactylus_fu hot_wet	LF.23.21	90	11.25	30	10.12	28.6	9.26	2	27.4	25/10/202
Leptodactylus_fu hot_wet	LF.23.21	90	11.25	35	10.12	31.8	9.45	2	84.8	25/10/202
Leptodactylus_fu hot_wet	LF.23.21	90	10.3	ctmax	9.27	39.1	8.77	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.22	100	6.88	ctmin	6.88	8.5	7.34	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.22	100	7.88	10	7.88	NA	7.11	2	NA	22/10/202
Leptodactylus_fu hot_wet	LF.23.22	100	7.88	15	7.88	18.6	7.46	2	61	22/10/202
Leptodactylus_fu hot_wet	LF.23.22	100	7.21	20	7.21	26.2	7.28	2	79.8	27/10/202
Leptodactylus_fu hot_wet	LF.23.22	100	7.21	25	7.21	26.4	6.92	2	94.4	27/10/202
Leptodactylus_fu hot_wet	LF.23.22	100	7.56	30	7.56	28.7	7.12	2	91.1	25/10/202
Leptodactylus_fu hot_wet	LF.23.22	100	7.56	35	7.56	30.7	7.24	2	98.9	25/10/202
Leptodactylus_fu hot_wet	LF.23.22	100	6.75	ctmax	6.75	40.9	7.41	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.23	80	9.9	ctmin	7.92	10.2	7.59	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.23	80	11.05	10	8.84	NA	8.3	2	NA	22/10/202
Leptodactylus_fu hot_wet	LF.23.23	80	11.05	15	8.84	17.2	8.59	2	25.5	22/10/202
Leptodactylus_fu hot_wet	LF.23.23	80	10.22	20	8.18	23.3	8.15	2	37.8	27/10/202
Leptodactylus_fu hot_wet	LF.23.23	80	10.22	25	8.18	24.7	7.98	2	78.5	27/10/202
Leptodactylus_fu hot_wet	LF.23.23	80	10.57	30	8.45	27.8	7.62	2	18.4	25/10/202
Leptodactylus_fu hot_wet	LF.23.23	80	10.57	35	8.45	31.1	8.19	2	40.9	25/10/202
Leptodactylus_fu hot_wet	LF.23.23	80	9.74	ctmax	7.79	39.3	7.49	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.24	100	9.49	ctmin	9.49	9.7	9.89	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.24	100	10.79	10	10.79	13.4	9.9	2	NA	22/10/202
Leptodactylus_fu hot_wet	LF.23.24	100	10.79	15	10.79	18.4	10.42	2	50	22/10/202
Leptodactylus_fu hot_wet	LF.23.24	100	9.5	20	9.5	25	9.54	2	74.2	27/10/202
Leptodactylus_fu hot_wet	LF.23.24	100	9.5	25	9.5	26	9.32	2	108.7	27/10/202
Leptodactylus_fu hot_wet	LF.23.24	100	10.07	30	10.07	28.4	9.68	2	110.4	25/10/202
Leptodactylus_fu hot_wet	LF.23.24	100	10.07	35	10.07	30.7	9.68	2	65.4	25/10/202
Leptodactylus_fu hot_wet	LF.23.24	100	9.07	ctmax	9.07	40.2	9.36	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.25	90	9.98	ctmin	8.08	9	7.7	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.25	90	9.45	10	8.5	15.9	7.81	3	41	23/10/202
Leptodactylus_fu hot_wet	LF.23.25	90	9.45	15	8.5	19.8	8	3	51.5	23/10/202
Leptodactylus_fu hot_wet	LF.23.25	90	9.02	20	8.12	25.6	7.82	2	31.1	27/10/202
Leptodactylus_fu hot_wet	LF.23.25	90	9.02	25	8.12	25.4	7.66	2	36.5	27/10/202
Leptodactylus_fu hot_wet	LF.23.25	90	9.29	30	8.32	28	7.18	2	39.4	25/10/202
Leptodactylus_fu hot_wet	LF.23.25	90	9.29	35	8.32	30.4	7.45	2	35.6	25/10/202

Leptodactylus_fu hot_wet	LF.23.25	90	8.81	ctmax	7.93	39.4	7.32	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.26	100	8.28	ctmin	8.28	9.1	8.55	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.26	100	9.56	10	9.56	11	8.65	2	23.5	22/10/202
Leptodactylus_fu hot_wet	LF.23.26	100	9.56	15	9.56	18.6	9.02	2	46.5	22/10/202
Leptodactylus_fu hot_wet	LF.23.26	100	8.26	20	8.26	25.7	8.22	2	43	27/10/202
Leptodactylus_fu hot_wet	LF.23.26	100	8.26	25	8.26	26	7.95	2	79.3	27/10/202
Leptodactylus_fu hot_wet	LF.23.26	100	8.52	30	8.52	29.1	8.1	2	40	25/10/202
Leptodactylus_fu hot_wet	LF.23.26	100	8.52	35	8.52	31	8.3	2	55	25/10/202
Leptodactylus_fu hot_wet	LF.23.26	100	7.91	ctmax	7.91	39.7	8.95	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.27	100	NA	ctmin	NA	NA	NA	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.27	100	10.25	10	10.25	14.4	10.48	3	47.3	23/10/202
Leptodactylus_fu hot_wet	LF.23.27	100	10.25	15	10.25	20.6	10.26	3	60.2	23/10/202
Leptodactylus_fu hot_wet	LF.23.27	100	9.64	20	9.64	26	9.92	2	85.3	27/10/202
Leptodactylus_fu hot_wet	LF.23.27	100	9.64	25	9.64	27.1	9.4	2	82.4	27/10/202
Leptodactylus_fu hot_wet	LF.23.27	100	9.99	30	9.99	28.7	9.7	2	101.2	25/10/202
Leptodactylus_fu hot_wet	LF.23.27	100	9.99	35	9.99	30	10.02	2	43.6	25/10/202
Leptodactylus_fu hot_wet	LF.23.27	100	NA	ctmax	NA	NA	NA	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.28	100	7.42	ctmin	7.42	8.5	7.83	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.28	100	8.17	10	8.17	18.1	8.38	3	33.5	23/10/202
Leptodactylus_fu hot_wet	LF.23.28	100	8.17	15	8.17	22.2	8.06	3	84.4	23/10/202
Leptodactylus_fu hot_wet	LF.23.28	100	7.51	20	7.51	26.5	7.47	2	74.3	27/10/202
Leptodactylus_fu hot_wet	LF.23.28	100	7.51	25	7.51	27	7.22	2	108.4	27/10/202
Leptodactylus_fu hot_wet	LF.23.28	100	7.8	30	7.8	28	7.36	2	96	25/10/202
Leptodactylus_fu hot_wet	LF.23.28	100	7.8	35	7.8	30.7	7.5	2	116.2	25/10/202
Leptodactylus_fu hot_wet	LF.23.28	100	7.18	ctmax	7.18	39.8	7.45	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.29	80	9.31	ctmin	7.44	10.6	7.08	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.29	80	9.67	10	7.73	19	7.63	3	31	23/10/202
Leptodactylus_fu hot_wet	LF.23.29	80	9.67	15	7.73	21.7	7.77	3	45.2	23/10/202
Leptodactylus_fu hot_wet	LF.23.29	80	9.69	20	7.75	24.5	7.61	2	14	27/10/202
Leptodactylus_fu hot_wet	LF.23.29	80	9.69	25	7.75	24.4	7.43	2	33.5	27/10/202
Leptodactylus_fu hot_wet	LF.23.29	80	9.82	30	7.85	27.9	6.79	2	17.7	25/10/202
Leptodactylus_fu hot_wet	LF.23.29	80	9.82	35	7.85	30	7.14	2	14.3	25/10/202
Leptodactylus_fu hot_wet	LF.23.29	80	8.75	ctmax	7	33.1	6.92	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.30	90	10.54	ctmin	9.48	10.1	8.86	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.30	90	10.85	10	9.76	14.3	8.95	3	19.8	23/10/202
Leptodactylus_fu hot_wet	LF.23.30	90	10.85	15	9.76	20.5	9.23	3	67.1	23/10/202
Leptodactylus_fu hot_wet	LF.23.30	90	10.93	20	9.84	25.6	9.74	2	24.5	27/10/202
Leptodactylus_fu hot_wet	LF.23.30	90	10.93	25	9.84	25.4	9.5	2	45.2	27/10/202
Leptodactylus_fu hot_wet	LF.23.30	90	11.12	30	10.08	28.4	9.47	2	24.9	25/10/202
Leptodactylus_fu hot_wet	LF.23.30	90	11.12	35	10.08	31	9.85	2	47	25/10/202

Leptodactylus_fu hot_wet	LF.23.30	90	10.08	ctmax	9.07	40	8.99	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.31	80	8.07	ctmin	6.45	10.4	6.24	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.31	80	8.4	10	6.72	16	6.57	3	20	23/10/202
Leptodactylus_fu hot_wet	LF.23.31	80	8.4	15	6.72	20.4	6.86	3	49.5	23/10/202
Leptodactylus_fu hot_wet	LF.23.31	80	8.42	20	6.74	24.7	6.36	2	19.1	27/10/202
Leptodactylus_fu hot_wet	LF.23.31	80	8.42	25	6.74	26.4	6.17	2	57.7	27/10/202
Leptodactylus_fu hot_wet	LF.23.31	80	8.53	30	6.82	29	6.54	2	73	25/10/202
Leptodactylus_fu hot_wet	LF.23.31	80	8.53	35	6.82	30.1	6.87	2	79.6	25/10/202
Leptodactylus_fu hot_wet	LF.23.31	80	7.81	ctmax	6.25	37.8	5.96	1	0	01/11/202
Leptodactylus_fu hot_wet	LF.23.32	80	8.01	ctmin	6.4	9.6	5.92	1	0	30/10/202
Leptodactylus_fu hot_wet	LF.23.32	80	8.61	10	6.88	15	6.67	3	15.2	23/10/202
Leptodactylus_fu hot_wet	LF.23.32	80	8.61	15	6.88	20.2	6.82	3	56.4	23/10/202
Leptodactylus_fu hot_wet	LF.23.32	80	8.21	20	6.54	24	6.41	2	54	27/10/202
Leptodactylus_fu hot_wet	LF.23.32	80	8.21	25	6.57	24.4	6.21	2	74.6	27/10/202
Leptodactylus_fu hot_wet	LF.23.32	80	8.52	30	6.81	29.7	6.58	2	109	25/10/202
Leptodactylus_fu hot_wet	LF.23.32	80	8.52	35	6.81	31.4	6.81	2	71.8	25/10/202
Leptodactylus_fu hot_wet	LF.23.32	80	7.74	ctmax	6.19	36.6	5.5	1	0	01/11/202